

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	320910	first adj2 pll same second adj2 pll inverse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 11:00
L2	1245	first adj2 pll same second adj2 pll sameinverse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 11:00
L3	5	first adj2 pll same second adj2 pll same inverse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 11:00
S1	1	10/531674	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 15:31
S2	0	2001/0043102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 15:32
S3	2	"20010043102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 15:32
S4	2	"4849991".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 15:33
S5	4	10/927879	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 15:37
S6	10	"5959564"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/06 15:39

S7	3200	digital adj2 pll	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 14:50
S8	1994	first adj2 ((phase adj2 lock\$4 adj2 loop) pll) same second adj2 ((phase adj2 lock\$4 adj2 loop) or pll)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 16:08
S9	196	first adj2 ((phase adj2 lock\$4 adj2 loop) pll) same second adj2 ((phase adj2 lock\$4 adj2 loop) or pll) same delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 16:08
S10	16	first adj2 ((phase adj2 lock\$4 adj2 loop) pll) same second adj2 ((phase adj2 lock\$4 adj2 loop) or pll) same delay same combin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 16:08
S11	28	first adj2 ((phase adj2 lock\$4 adj2 loop) pll) same second adj2 ((phase adj2 lock\$4 adj2 loop) or pll) same delay same (combin\$4 add\$4 summing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 16:09
S12	14	("3746993" "3772467" "3911232" "3936618" "3983500").PN. OR ("4096360").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/09 16:16
S13	2	first adj2 ((phase adj2 lock\$4 adj2 loop) pll) same second adj2 ((phase adj2 lock\$4 adj2 loop) or pll) same inverse same (combin \$4 add\$4 summing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 16:20
S14	282	first adj2 ((phase adj2 lock\$4 adj2 loop) pll) same second adj2 ((phase adj2 lock\$4 adj2 loop) or pll) same (combin\$4 add\$4 summing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 16:20

S15	9	first adj2 ((phase adj2 lock\$4 adj2 loop) pll) same second adj2 ((phase adj2 lock\$4 adj2 loop) or pll) same (combin\$4 add\$4 summing) same second adj2 order	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 09:57
S16	0	digital adj2 pll same storedf adj2 sequence	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 10:01
S17	0	digital adj2 pll same stored adj2 sequence	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 10:01
S18	93	digital adj2 pll same stored	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 10:01
S19	186	digital adj2 pll same stor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 10:01
S20	5599981	digital adj2 pll with sequence stor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 10:02
S21	39	digital adj2 pll with sequence	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 10:02
S22	0	digital adj2 pll with stored near3 sequence	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 10:13
S23	0	digital adj2 pll with stor\$4 near3 sequence	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 10:13
S24	1	digital adj2 pll with predetermined near3 sequence	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 10:13

S25	20	first adj2 digital adj2 pll same second adj2 digital adj2 pll	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 10:15
S26	0	first adj2 digital adj2 pll same second adj2 digital adj2 pll same (summing adding combin\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 10:18
S27	0	first adj2 digital adj2 pll same second adj2 digital adj2 pll same (summer summming adder adding combin \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 10:19
S28	6	"7099382"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 11:33
S29	1	"7099382" and pll	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 11:34
S30	1043	particulate adj2 filtering	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 12:31
S31	198	particulate adj2 filtering.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 12:31
S32	1	(particulate adj2 filtering same phase). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 12:32
S33	2	(random\$1walk same phase).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 12:32
S34	34	(random\$1walk same phase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 12:34

S35	2	"7280614".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 12:43
S36	2	"20030016764".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 12:45
S37	2	"20040039983".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 12:49
S38	1100	input adj2 buffer same (phase adj2 lock\$4 or pll)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 13:07
S39	453	input adj2 buffer with (phase adj2 lock\$4 or pll)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 13:07
S40	14	input adj2 buffer with digital adj2 (phase adj2 lock\$4 or pll)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 13:08
S41	14	input adj2 buffer with digital adj2 (phase adj2 lock\$4 or pll)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 13:13
S42	16	input adj2 buffer with (dpll or (digital adj2 (phase adj2 lock\$4 or pll)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 13:14
S43	22	input adj2 buffer same (dpll or (digital adj2 (phase adj2 lock\$4 or pll)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 13:21
S44	91	first adj2 pll same second adj2 pll same (summer summing adder adding combin \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 13:30

S45	46	first adj2 pll same second adj2 pll with (summer summing adder adding combin \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 13:31
S46	36	first adj2 pll with second adj2 pll with (summer summing adder adding combin \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 13:31
S47	31	10/059,014	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 13:44
S48	32	10/273,899	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 13:52
S49	4	10/273,899 and buffer same dpll	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 13:53
S50	3	10/317,262 and buffer same dpll	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 13:55
S51	0	channel adj2 estimate same snr same timing same processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 14:16
S52	18	channel adj2 estimate same noise same timing same processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 14:16
S53	1	channel adj2 estimate same noise near2 signal same timing same processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 14:17
S54	19	channel adj2 estimate same noise near3 signal same (timing or phase) same processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 14:18

S55	2	channel adj2 estimate same noise near3 signal same (timing or phase) same processor and gsm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 14:19
S56	4	channel adj2 estimate same noise near3 signal same (timing or phase) same processor and (gsm or tdma)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 14:19
S57	7	channel adj2 estimate same noise near3 signal same (timing or phase) same processor and (gsm or edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 14:20
S58	2	channel adj2 estimate same noise near3 signal same (timing or phase) same processor and (gsm and edge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 14:22
S59	2	channel adj2 estimate same noise near3 signal same (timing or phase) same processor and (gsm and (edge gprs))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 14:23
S60	7	channel adj2 estimate same noise near3 signal same (timing or phase) same processor and ((edge gprs))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 14:23
S61	16	(channel adj2 estimat \$4 or impilse) same (noise near3 signal or sir sinr) same (timing or phase) same processor and ((edge gprs))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 14:24
S62	46	(channel adj2 estimat \$4 or impilse) same (noise near3 signal or sir sinr) same (timing or phase) same processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 14:25
S63	11	(channel adj2 estimat \$4 or impilse) same (noise near3 signal or sir sinr) same (timing) same processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 14:26

S64	1	11/389344	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 16:04
S65	3	10/259088	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 11:23
S66	3	10/259088 and normali \$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 11:24
S67	1	(impedence adj2 divider).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 15:36
S68	12	digital adj2 pll same first adj2 loop same second adj2 loop	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/03 14:59

EAST Search History (Interference)

< This search history is empty >

9/ 9/ 2009 11:02:09 AM**C:\ Documents and Settings\ jjoseph1\ My Documents\ EAST\ Workspaces\ 10531674.wsp**